

Frame Size F (16-160) Amperes




Product description:

Complying to IEC 60947-2,
Maximum continuous Ampere rating at 55°C Voltage 240/415V,
Frequency 50/60Hz


Ue Maximum	415V
Icu	25/36/50 kA
Ics	25/36/50 kA
Ui	800V
Uimp	8kV

Dimension:	H	W	D	Weight Kgs.
2Pole	155	60	77	0.85
3Pole		90		1.2
4Pole		120		1.6

Marking
CE




FI-Frame MCCB 25kA AT 415V (Fixed Thermal & Magnetic) 55°C




In (A)	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	FI2016	W602061	FI3016	W602074	FI4016	W602087
20A	FI2020	W602062	FI3020	W602075	FI4020	W602088
25A	FI2025	W602063	FI3025	W602076	FI4025	W602089
32A	FI2032	W602064	FI3032	W602077	FI4032	W602090
40A	FI2040	W602065	FI3040	W602078	FI4040	W602091
50A	FI2050	W602066	FI3050	W602079	FI4050	W602092
63A	FI2063	W602067	FI3063	W602080	FI4063	W602093
70A	FI2070	W602068	FI3070	W602081	FI4070	W602094
80A	FI2080	W602069	FI3080	W602082	FI4080	W602095
90A	FI2090	W602070	FI3090	W602083	FI4090	W602096
100A	FI2100	W602071	FI3100	W602084	FI4100	W602097
125A	FI2125	W602072	FI3125	W602085	FI4125	W602098
160A	FI2160	W602073	FI3160	W602086	FI4160	W602099

FS-Frame MCCB 36kA AT 415V (Fixed Thermal & Magnetic) 55°C




In (A)	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	FS2016	W602113	FS3016	W602126	FS4016	W602139
20A	FS2020	W602114	FS3020	W602127	FS4020	W602140
25A	FS2025	W602115	FS3025	W602128	FS4025	W602141
32A	FS2032	W602116	FS3032	W602129	FS4032	W602142
40A	FS2040	W602117	FS3040	W602130	FS4040	W602143
50A	FS2050	W602118	FS3050	W602131	FS4050	W602144
63A	FS2063	W602119	FS3063	W602132	FS4063	W602145
70A	FS2070	W602120	FS3070	W602133	FS4070	W602146
80A	FS2080	W602121	FS3080	W602134	FS4080	W602147
90A	FS2090	W602122	FS3090	W602135	FS4090	W602148
100A	FS2100	W602123	FS3100	W602136	FS4100	W602149
125A	FS2125	W602124	FS3125	W602137	FS4125	W602150
160A	FS2160	W602125	FS3160	W602138	FS4160	W602151


Frame Size F (16-160) Amperes


FH-Frame MCCB 50kA AT 415V (Fixed Thermal & Magnetic) 55°C

In (A)	2 pole		3 pole		4 pole	
	Cat.No.	Ref.No.	Cat.No.	Ref.No.	Cat.No.	Ref.No.
16A	FH2016	W602165	FH3016	W602178	FH4016	W602191
20A	FH2020	W602166	FH3020	W602179	FH4020	W602192
25A	FH2025	W602167	FH3025	W602180	FH4025	W602193
32A	FH2032	W602168	FH3032	W602181	FH4032	W602194
40A	FH2040	W602169	FH3040	W602182	FH4040	W602195
50A	FH2050	W602170	FH3050	W602183	FH4050	W602196
63A	FH2063	W602171	FH3063	W602184	FH4063	W602197
70A	FH2070	W602172	FH3070	W602185	FH4070	W602198
80A	FH2080	W602173	FH3080	W602186	FH4080	W602199
90A	FH2090	W602174	FH3090	W602187	FH4090	W602200
100A	FH2100	W602175	FH3100	W602188	FH4100	W602201
125A	FH2125	W602176	FH3125	W602189	FH4125	W602202
160A	FH2160	W602177	FH3160	W602190	FH4160	W602203



FI-Frame MCCB 25kA AT 415V (Adjustable Thermal - Fixed Magnetic) 55°C

In (A)	2 pole		3 pole		4 pole	
	Cat.No.	Ref.No.	Cat.No.	Ref.No.	Cat.No.	Ref.No.
16A	FI2016T	W602217	FI3016T	W602230	FI4016T	W602243
20A	FI2020T	W602218	FI3020T	W602231	FI4020T	W602244
25A	FI2025T	W602219	FI3025T	W602232	FI4025T	W602245
32A	FI2032T	W602220	FI3032T	W602233	FI4032T	W602246
40A	FI2040T	W602221	FI3040T	W602234	FI4040T	W602247
50A	FI2050T	W602222	FI3050T	W602235	FI4050T	W602248
63A	FI2063T	W602223	FI3063T	W602236	FI4063T	W602249
70A	FI2070T	W602224	FI3070T	W602237	FI4070T	W602250
80A	FI2080T	W602225	FI3080T	W602238	FI4080T	W602251
90A	FI2090T	W602226	FI3090T	W602239	FI4090T	W602252
100A	FI2100T	W602227	FI3100T	W602240	FI4100T	W602253
125A	FI2125T	W602228	FI3125T	W602241	FI4125T	W602254
160A	FI2160T	W602229	FI3160T	W602242	FI4160T	W602255



FS-Frame MCCB 36kA AT 415V (Adjustable Thermal - Fixed Magnetic) 55°C

In (A)	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	FS2016T	W602269	FS3016T	W602282	FS4016T	W602295
20A	FS2020T	W602270	FS3020T	W602283	FS4020T	W602296
25A	FS2025T	W602271	FS3025T	W602284	FS4025T	W602297
32A	FS2032T	W602272	FS3032T	W602285	FS4032T	W602298
40A	FS2040T	W602273	FS3040T	W602286	FS4040T	W602299
50A	FS2050T	W602274	FS3050T	W602287	FS4050T	W602300
63A	FS2063T	W602275	FS3063T	W602288	FS4063T	W602301
70A	FS2070T	W602276	FS3070T	W602289	FS4070T	W602302
80A	FS2080T	W602277	FS3080T	W602290	FS4080T	W602303
90A	FS2090T	W602278	FS3090T	W602291	FS4090T	W602304
100A	FS2100T	W602279	FS3100T	W602292	FS4100T	W602305
125A	FS2125T	W602280	FS3125T	W602293	FS4125T	W602306
160A	FS2160T	W602281	FS3160T	W602294	FS4160T	W602307


Frame Size F (16-160) Amperes

FH-Frame MCCB 50kA AT 415V (Adjustable Thermal - Fixed Magnetic) 55°C


In (A)	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
	50 kA					
16A	FH2016T	W602321	FH3016T	W602334	FH4016T	W602347
20A	FH2020T	W602322	FH3020T	W602335	FH4020T	W602348
25A	FH2025T	W602323	FH3025T	W602336	FH4025T	W602349
32A	FH2032T	W602324	FH3032T	W602337	FH4032T	W602350
40A	FH2040T	W602325	FH3040T	W602338	FH4040T	W602351
50A	FH2050T	W602326	FH3050T	W602339	FH4050T	W602352
63A	FH2063T	W602327	FH3063T	W602340	FH4063T	W602353
70A	FH2070T	W602328	FH3070T	W602341	FH4070T	W602354
80A	FH2080T	W602329	FH3080T	W602342	FH4080T	W602355
90A	FH2090T	W602330	FH3090T	W602343	FH4090T	W602356
100A	FH2100T	W602331	FH3100T	W602344	FH4100T	W602357
125A	FH2125T	W602332	FH3125T	W602345	FH4125T	W602358
160A	FH2160T	W602333	FH3160T	W602346	FH4160T	W602359


FI-Frame MCCB 25kA AT 415V (Adjustable Thermal & Magnetic) 55°C


In (A)	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
	25 kA					
16A	FI2016TM	W602373	FI3016TM	W602386	FI4016TM	W602399
20A	FI2020TM	W602374	FI3020TM	W602387	FI4020TM	W602400
25A	FI2025TM	W602375	FI3025TM	W602388	FI4025TM	W602401
32A	FI2032TM	W602376	FI3032TM	W602389	FI4032TM	W602402
40A	FI2040TM	W602377	FI3040TM	W602390	FI4040TM	W602403
50A	FI2050TM	W602378	FI3050TM	W602391	FI4050TM	W602404
63A	FI2063TM	W602379	FI3063TM	W602392	FI4063TM	W602405
70A	FI2070TM	W602380	FI3070TM	W602393	FI4070TM	W602406
80A	FI2080TM	W602381	FI3080TM	W602394	FI4080TM	W602407
90A	FI2090TM	W602382	FI3090TM	W602395	FI4090TM	W602408
100A	FI2100TM	W602383	FI3100TM	W602396	FI4100TM	W602409
125A	FI2125TM	W602384	FI3125TM	W602397	FI4125TM	W602410
160A	FI2160TM	W602385	FI3160TM	W602398	FI4160TM	W602411


FS-Frame MCCB 36kA AT 415V (Adjustable Thermal & Magnetic) 55°C


In (A)	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
	36 kA					
16A	FS2016TM	W602425	FS3016TM	W602438	FS4016TM	W602451
20A	FS2020TM	W602426	FS3020TM	W602439	FS4020TM	W602452
25A	FS2025TM	W602427	FS3025TM	W602440	FS4025TM	W602453
32A	FS2032TM	W602428	FS3032TM	W602441	FS4032TM	W602454
40A	FS2040TM	W602429	FS3040TM	W602442	FS4040TM	W602455
50A	FS2050TM	W602430	FS3050TM	W602443	FS4050TM	W602456
63A	FS2063TM	W602431	FS3063TM	W602444	FS4063TM	W602457
70A	FS2070TM	W602432	FS3070TM	W602445	FS4070TM	W602458
80A	FS2080TM	W602433	FS3080TM	W602446	FS4080TM	W602459
90A	FS2090TM	W602434	FS3090TM	W602447	FS4090TM	W602460
100A	FS2100TM	W602435	FS3100TM	W602448	FS4100TM	W602461
125A	FS2125TM	W602436	FS3125TM	W602449	FS4125TM	W602462
160A	FS2160TM	W602437	FS3160TM	W602450	FS4160TM	W602463

Frame Size F (16-160) Amperes


FH-Frame MCCB 50kA AT 415V (Adjustable Thermal & Magnetic) 55°C

12.5	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	FH2016TM	W602477	FH3016TM	W602490	FH4016TM	W602503
20A	FH2020TM	W602478	FH3020TM	W602491	FH4020TM	W602504
25A	FH2025TM	W602479	FH3025TM	W602492	FH4025TM	W602505
32A	FH2032TM	W602480	FH3032TM	W602493	FH4032TM	W602506
40A	FH2040TM	W602481	FH3040TM	W602494	FH4040TM	W602507
50A	FH2050TM	W602482	FH3050TM	W602495	FH4050TM	W602508
63A	FH2063TM	W602483	FH3063TM	W602496	FH4063TM	W602509
70A	FH2070TM	W602484	FH3070TM	W602497	FH4070TM	W602510
80A	FH2080TM	W602485	FH3080TM	W602498	FH4080TM	W602511
90A	FH2090TM	W602486	FH3090TM	W602499	FH4090TM	W602512
100A	FH2100TM	W602487	FH3100TM	W602500	FH4100TM	W602513
125A	FH2125TM	W602488	FH3125TM	W602501	FH4125TM	W602514
160A	FH2160TM	W602489	FH3160TM	W602502	FH4160TM	W602515


FIY (Non Automatic Circuit Breaker) 55°C

In (A)	2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	FIY2016	W602529	FIY3016	W602542	FIY4016	W602555
20A	FIY2020	W602530	FIY3020	W602543	FIY4020	W602556
25A	FIY2025	W602531	FIY3025	W602544	FIY4025	W602557
32A	FIY2032	W602532	FIY3032	W602545	FIY4032	W602558
40A	FIY2040	W602533	FIY3040	W602546	FIY4040	W602559
50A	FIY2050	W602534	FIY3050	W602547	FIY4050	W602560
63A	FIY2063	W602535	FIY3063	W602548	FIY4063	W602561
70A	FIY2070	W602536	FIY3070	W602549	FIY4070	W602562
80A	FIY2080	W602537	FIY3080	W602550	FIY4080	W602563
90A	FIY2090	W602538	FIY3090	W602551	FIY4090	W602564
100A	FIY2100	W602539	FIY3100	W602552	FIY4100	W602565
125A	FIY2125	W602540	FIY3125	W602553	FIY4125	W602566
160A	FIY2160	W602541	FIY3160	W602554	FIY4160	W602567

Frame Size F (16-160) Amperes

Drawing

