

Frame Size G (16-125) Amperes




Product description:

Complying to IEC 60947-2,
Maximum continuous Ampere rating at 40°C, Voltage 240/415V,
Frequency 50/60Hz

Ue Maximum	415V
Icu	18/25/36 kA
Ics	18/25/25 kA
Ui	800V
Uimp	8kV


Dimension:	H	W	D	Weight Kgs.
1Pole	130	25	76.8	0.3
2Pole		50		0.5
3Pole		75		0.7
4Pole		100		0.9

Marking
CE




1
Moulded Case Circuit Breakers

GI-Frame MCCB 25kA AT 415V Ⓞ (Fixed Thermal & Magnetic) 40°C



In (A)	1 pole		2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	GI1016AD	W612970	GI2016AD	W612982	GI3016AD	W612994	GI4016AD	W613006
20A	GI1020AD	W612971	GI2020AD	W612983	GI3020AD	W612995	GI4020AD	W613007
25A	GI1025AD	W612972	GI2025AD	W612984	GI3025AD	W612996	GI4025AD	W613008
32A	GI1032AD	W612973	GI2032AD	W612985	GI3032AD	W612997	GI4032AD	W613009
40A	GI1040AD	W612974	GI2040AD	W612986	GI3040AD	W612998	GI4040AD	W613010
50A	GI1050AD	W612975	GI2050AD	W612987	GI3050AD	W612999	GI4050AD	W613011
63A	GI1063AD	W612976	GI2063AD	W612988	GI3063AD	W613000	GI4063AD	W613012
70A	GI1070AD	W612977	GI2070AD	W612989	GI3070AD	W613001	GI4070AD	W613013
80A	GI1080AD	W612978	GI2080AD	W612990	GI3080AD	W613002	GI4080AD	W613014
90A	GI1090AD	W612979	GI2090AD	W612991	GI3090AD	W613003	GI4090AD	W613015
100A	GI1100AD	W612980	GI2100AD	W612992	GI3100AD	W613004	GI4100AD	W613016
125A	GI1125AD	W612981	GI2125AD	W612993	GI3125AD	W613005	GI4125AD	W613017

GS-Frame MCCB 36kA AT 415V Ⓞ (Fixed Thermal & Magnetic) 40°C




In (A)	1 pole		2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	GS1016AD	W613018	GS2016AD	W613030	GS3016AD	W613042	GS4016AD	W613054
20A	GS1020AD	W613019	GS2020AD	W613031	GS3020AD	W613043	GS4020AD	W613055
25A	GS1025AD	W613020	GS2025AD	W613032	GS3025AD	W613044	GS4025AD	W613056
32A	GS1032AD	W613021	GS2032AD	W613033	GS3032AD	W613045	GS4032AD	W613057
40A	GS1040AD	W613022	GS2040AD	W613034	GS3040AD	W613046	GS4040AD	W613058
50A	GS1050AD	W613023	GS2050AD	W613035	GS3050AD	W613047	GS4050AD	W613059
63A	GS1063AD	W613024	GS2063AD	W613036	GS3063AD	W613048	GS4063AD	W613060
70A	GS1070AD	W613025	GS2070AD	W613037	GS3070AD	W613049	GS4070AD	W613061
80A	GS1080AD	W613026	GS2080AD	W613038	GS3080AD	W613050	GS4080AD	W613062
90A	GS1090AD	W613027	GS2090AD	W613039	GS3090AD	W613051	GS4090AD	W613063
100A	GS1100AD	W613028	GS2100AD	W613040	GS3100AD	W613052	GS4100AD	W613064
125A	GS1125AD	W613029	GS2125AD	W613041	GS3125AD	W613053	GS4125AD	W613065

Frame Size G (16-125) Amperes

1

Moulded Case Circuit Breakers




GIY-Frame MCCB Non Automatic Circuit Breaker) 40°C (IEC 60947-3)

In (A)	1 pole		2 pole		3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.	Cat. No.	Ref.No.
16A	GIY1016AD	W613066	GIY2016AD	W613078	GIY3016AD	W613090	GIY4016AD	W613102
20A	GIY1020AD	W613067	GIY2020AD	W613079	GIY3020AD	W613091	GIY4020AD	W613103
25A	GIY1025AD	W613068	GIY2025AD	W613080	GIY3025AD	W613092	GIY4025AD	W613104
32A	GIY1032AD	W613069	GIY2032AD	W613081	GIY3032AD	W613093	GIY4032AD	W613105
40A	GIY1040AD	W613070	GIY2040AD	W613082	GIY3040AD	W613094	GIY4040AD	W613106
50A	GIY1050AD	W613071	GIY2050AD	W613083	GIY3050AD	W613095	GIY4050AD	W613107
63A	GIY1063AD	W613072	GIY2063AD	W613084	GIY3063AD	W613096	GIY4063AD	W613108
70A	GIY1070AD	W613073	GIY2070AD	W613085	GIY3070AD	W613097	GIY4070AD	W613109
80A	GIY1080AD	W613074	GIY2080AD	W613086	GIY3080AD	W613098	GIY4080AD	W613110
90A	GIY1090AD	W613075	GIY2090AD	W613087	GIY3090AD	W613099	GIY4090AD	W613111
100A	GIY1100AD	W613076	GIY2100AD	W613088	GIY3100AD	W613100	GIY4100AD	W613112
125A	GIY1125AD	W613077	GIY2125AD	W613089	GIY3125AD	W613101	GIY4125AD	W613113


Frame Size G (16-125) Amperes

Drawing

1 Pole



GI,GS 3 Pole



Frame Size G (16-125) Amperes

Drawing

Moulded Case Circuit Breakers

1

GI,GS 4 Pole

