

# Frame Size J (100-250) Amperes





## Product description:

Complying to IEC 60947-2,  
Maximum continuous Ampere rating at 40°C Voltage 240/415V,  
Frequency 50/60Hz

Ue Maximum	415V
Icu	36/50/70 kA
Ics	36/50/70 kA
Ui	800V
Uimp	8kV


Dimension:	H	W	D	Weight Kgs.
3Pole	165	105	87	1.8
4Pole		140		2.4

Marking  
CE




### JS-Frame MCCB 36 kA AT 415V (Fixed Thermal & Magnetic) 40°C

In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
100A	JS3100DF	W612666	JS4100DF	W612671
125A	JS3125DF	W612667	JS4125DF	W612672
160A	JS3160DF	W612668	JS4160DF	W612673
200A	JS3200DF	W612669	JS4200DF	W612674
250A	JS3250DF	W612670	JS4250DF	W612675



### JH-Frame MCCB 50 kA AT 415V (Fixed Thermal & Magnetic) 40°C


In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
100A	JH3100DF	W612676	JH4100DF	W612681
125A	JH3125DF	W612677	JH4125DF	W612682
160A	JH3160DF	W612678	JH4160DF	W612683
200A	JH3200DF	W612679	JH4200DF	W612684
250A	JH3250DF	W612680	JH4250DF	W612685




### JN-Frame MCCB 75 kA AT 415V (Fixed Thermal & Magnetic) 40°C

In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
100A	JN3100DF	W612686	JN4100DF	W612691
125A	JN3125DF	W612687	JN4125DF	W612692
160A	JN3160DF	W612688	JN4160DF	W612693
200A	JN3200DF	W612689	JN4200DF	W612694
250A	JN3250DF	W612690	JN4250DF	W612695


## Frame Size J (100-250) Amperes

JS-Frame MCCB 36 kA AT 415V (Adjustable Thermal & Magnetic) 40°C					
 36 kA	In (A)	3 pole		4 pole	
		Cat. No.	Ref.No.	Cat. No.	Ref.No.
		100A	JS3100DTM	W612696	JS4100DTM
	125A	JS3125DTM	W612697	JS4125DTM	W612702
	160A	JS3160DTM	W612698	JS4160DTM	W612703
	200A	JS3200DTM	W612699	JS4200DTM	W612704
	250A	JS3250DTM	W612700	JS4250DTM	W612705


  

JH-Frame MCCB 50 kA AT 415V (Adjustable Thermal & Magnetic) 40°C					
 50 kA	In (A)	3 pole		4 pole	
		Cat. No.	Ref.No.	Cat. No.	Ref.No.
		100A	JH3100DTM	W612706	JH4100DTM
	125A	JH3125DTM	W612707	JH4125DTM	W612712
	160A	JH3160DTM	W612708	JH4160DTM	W612713
	200A	JH3200DTM	W612709	JH4200DTM	W612714
	250A	JH3250DTM	W612710	JH4250DTM	W612715

JN-Frame MCCB 75 kA AT 415V (Adjustable Thermal & Magnetic) 40°C					
 75 kA	In (A)	3 pole		4 pole	
		Cat. No.	Ref.No.	Cat. No.	Ref.No.
		100A	JN3100DTM	W612716	JN4100DTM
	125A	JN3125DTM	W612717	JN4125DTM	W612722
	160A	JN3160DTM	W612718	JN4160DTM	W612723
	200A	JN3200DTM	W612719	JN4200DTM	W612724
	250A	JN3250DTM	W612720	JN4250DTM	W612725

JNY-Frame MCCB (Non-Automatic) 40°C (IEC 60947-3)					
	In (A)	3 pole		4 pole	
		Cat. No.	Ref.No.	Cat. No.	Ref.No.
		100A	JNY3100D	W612726	JNY4100D
	125A	JNY3125D	W612727	JNY4125D	W612732
	160A	JNY3160D	W612728	JNY4160D	W612733
	200A	JNY3200D	W612729	JNY4200D	W612734
	250A	JNY3250D	W612730	JNY4250D	W612735

# Frame Size J (100-250) Amperes

Drawing

