

# Frame Size K (250-400) Amperes





## Product description:

Complying to IEC 60947-2,  
Maximum continuous Ampere rating at 40°C Voltage 240/415V,  
Frequency 50/60Hz

Ue Maximum	415V
Icu	36/50/100 kA
Ics	36/50/100 kA
Ui	1000V
Uimp	12kV


Dimension:	H	W	D	Weight Kgs.
3Pole	257	140	108	4.1
4Pole		184		5.6

Marking  
CE




### KS - Frame MCCB 36kA AT 415V (Fixed Thermal & Magnetic) 40°C

In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
250A	KS3250DF	W612736	KS4250DF	W612741
300A	KS3300DF	W612737	KS4300DF	W612742
320A	KS3320DF	W612738	KS4320DF	W612743
350A	KS3350DF	W612739	KS4350DF	W612744
400A	KS3400DF	W612740	KS4400DF	W612745



### KS - Frame MCCB 36kA AT 415V (Adjustable Thermal & Magnetic) 40°C

In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
250A	KS3250DTM	W612746	KS4250DTM	W612751
300A	KS3300DTM	W612747	KS4300DTM	W612752
320A	KS3320DTM	W612748	KS4320DTM	W612753
350A	KS3350DTM	W612749	KS4350DTM	W612754
400A	KS3400DTM	W612750	KS4400DTM	W612755




### KH - Frame MCCB 50kA AT 415V (Adjustable Thermal & Magnetic) 40°C

In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
250A	KH3250DTM	W612756	KH4250DTM	W612761
300A	KH3300DTM	W612757	KH4300DTM	W612762
320A	KH3320DTM	W612758	KH4320DTM	W612763
350A	KH3350DTM	W612759	KH4350DTM	W612764
400A	KH3400DTM	W612760	KH4400DTM	W612765

# Frame Size K (250-400) Amperes


1

Moulded Case Circuit Breakers



KN - Frame MCCB 100kA AT 415V (Adjustable Thermal & Magnetic) 40°C

In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
	250A	KN3250DTM	W612766	KN4250DTM
300A	KN3300DTM	W612767	KN4300DTM	W612772
320A	KN3320DTM	W612768	KN4320DTM	W612773
350A	KN3350DTM	W612769	KN4350DTM	W612774
400A	KN3400DTM	W612770	KN4400DTM	W612775





KNY - Frame MCCB (Non-Automatic) 40°C (IEC 60947-3)

In (A)	3 pole		4 pole	
	Cat. No.	Ref.No.	Cat. No.	Ref.No.
	250A	KNY3250D	W612776	KNY4250D
300A	KNY3300D	W612777	KNY4300D	W612782
320A	KNY3320D	W612778	KNY4320D	W612783
350A	KNY3350D	W612779	KNY4350D	W612784
400A	KNY3400D	W612780	KNY4400D	W612785

# Frame Size K (250-400) Amperes

Drawing



1  
Moulded Case Circuit Breakers